



CARROT FOLIAR FERTILIZATION

| UTILIZATION TIME PURPOSE OF USAGE | DURING SEED EMERGENCE INTO 100 LT WATER | 7-8 DAYS AFTER EMERGENCE INTO 100 LT WATER | BEFORE ROOT STARTS DEVELOPING INTO 100 LT WATER | WHEN ROOT STARTS DEVELOPING INTO 100 LT WATER |
|--|--|--|---|---|
| TO PREVENT BURNS DUE TO SALTY SOIL | CALVIN 250 CC + NOABSES 100 CC | | | |
| TO PROMOTE GROWTH DEVELOPMENT TO PROVIDE THE NECESSARY NUTRITIONS FOR ROOT SYSTEM DEVELOPMENT IN FORTH COMING PERIODS | | VEJETOL 10-42-10 200 GR + FULL ENERGY 7 200 CC | | |
| TO ELIMINATE Mn-Fe DEFICIENCIES | | | GLUKOMIX Mn-Fe 200 CC + FULL ENERGY 7 200 CC | |
| THE SDEED-UP ROOT DEVELOPMENT TO INCRESAE THE LARGENESS OF ROOT SYSTEM | | | | VEJETOL 10-5-40 200-250 GR + MAXIFORTE 200 GR |