

POMEGRANATE FOLIAR FERTILIZATION

UTILIZATION TIME PURPOSE OF USAGE	PREMERGENCE PERIOD INTO 100 LT WATER	AFTER THE FIRST EMERGENCE (LATE MAY/EARLY JUNE) INTO 100 LT WATER	DURING RIPENING PERIOD INTO 100 LT WATER	DURING THE PERIOD WHEN FRUIT ATTAINS NORMAL SIZE INTO 100 LT WATER
TO PROMOTE OFFSHOOT DEVELOPMENT TO INCREASE NUMBER OF FRUITS DURING THE FORTHCOMING PERIODS TO MEET THE NEED OF ZINC PHOSPHOROUS NEED	VEJETOL 29-5-10 250 GR + FULL ENERGY 7 200 CC + ZENITH 150 CC			
TO PROMOTE FLOWERING TO STRENGTHEN OFFSHOOTS		NĪMBUS 52 2500 GR + FULL ENERGY 7 100 CC + ZENITH 150 CC		
TO PROMOTE FRUIT GROWTH TO MEET THE NEED FOR TRACE ELEMENT			POTANĪA-NK 250 GR	
TO KEEP THE FRUIT ON TREE FOR A LONG PERIOD TO REDUCE THE RISK OF CRACKING				GENESIS L26 250 CC + CALVIN 250-300 CC