



## COTTON FOLIAR FERTILIZATION

UTILIZATION TIME PURPOSE OF USAGE	10-15 DAYS AFTER EMERGENCE INTO 100 LT WATER	WHEN PLANT IS 20-25 cm LONG INTO 100 LT WATER	JUST BEFORE BLOOMING INTO 100 LT WATER	AT THE START OF SQUARE FORMATION INTO 100 LT WATER	BOLL MATURATION PERIOD INTO 100 LT WATER
TO MEET THE NEED FOR NITROGEN TO PROMOTE DEVELOPMENT	NIMBUS 52 200-250 GR + FULL ENERGY 7 150-200 CC				
TO MEET THE NEED FOR PHOSPHORUS-ZINC		ZENITH 150 CC			
TO SUPPRESS SHEDDING OF SQUARES BY DE-STRESSING TO PROMOTE FLOWER-POLLEN DEVELOPMENT			FULLBASS 69 200 GR + VEJETOL 10-42-10 200-250 GR		
TO PROMOTE THE GROWTH OF BOLL TO ENHANCE FIBER YIELD (FIBER LENGTH) TO ENHANCE FIBER QUALITY				FULLBASS 69 200 GR + CALVIN 300 CC	
TO MEET THE NEED FOR POTASSIUM TO ENHANCE FIBER QUALITY					FULLBASS 69 150 GR + ULTRA K-30 200 CC